GEH-08 Rev. 6/85

GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES **DIVISION OF ENVIRONMENTAL HEALTH**

INSPECTION REPORT 1 AUNDRY AND DRY CLEANING

PAGE 1 OF 1

INSPECTION	GRADE	Inspection Date	ESTABLISHMENT NAME	The state of the s	1.0
Regular	GRADE	inspection Time	OWNER/OPERATOR	por CEV ment atom	30
Follow-Up	lost wylletter	14 Hr.45 Min.	JEON, EUGENE	WALLS AND CEILTNES.	
Complaint	%A	Travet Time	LOCATION	Walls, ceilings, doors, windows, partitions, and to	
Investigation		15 Hr. 20Min.	LATTE HEIGHTS, MANGILAD		60
Other (Specify	(o) emitings (Sanitary Permit #	PUBLIC LANDRY	PERMIT CATEGORY STATUS (Circle One) Perm. /Temp. /Eurrent /Expired	M

correction

on date.	1 Page 1 Service Control of the Cont
	JOUCTED TODAY. PROMOUS INSPECTE
DATED 05/01/2018 RESULTED IN	A GRADE/ PATING OF 12/B.
VIOLATIONS ITEM # 12, 18, 27	1, 4 28 WERE CORRECTED. THE
FOLLOWING WERE OBSERVED TOJA	\(\frac{1}{2}\)
Alliche no begriden authorite.	believed in the second of the
NO VIOLATIONS OBSERVED.	
Program, hippyranews	MA TOTAL CONTROL OF THE PARTY O
PHOTOS WERE THEN.	Spermed melitrafred
ROMOVED PLACARD "B" NO. 01	
ISSUED AND POSTED PLACARD "	A" NO. 02760.
DISCUSSED THIS REPORT WITH ENG	ENE TEN, OWNER.
STWINE	Tartin Deliver weath Secure 19, water commission of the 1400F seed cooking the above the secure of the 1400F seed cooking the 1400F seed
No dogs, cats, and other animals, except usern add automotive allowed.	for informity and any eleganing.
TWELDYN BEVOLUNG	Parameter room to do not writing to the control of
	Disposal
33 hydrwnic practicals.	a take upgains in its him oils states brook bri
ODSEASE CONTROL	FACHITIES
No employee with disease in communicable form	audian or heterot havenness nous
DOCUMENTS REPORTS RECDRIDS	socia ententa figa britan entre la como de construir en la con
35 Sericity promit matth certificatus valid.	private speciality worms
Son two permit, health certificates, anablebreunt v	vue and appraved wasta complision provided: 2
PARTITION AND PROPERTY OF THE	
37 Construction ormat (Examilian) reconstruction,	DRY WARLETTER
Landship Lifthia barroom mellanoma	

I have read and understand the above violation(s) and I am aware of the corrective measure to be taken.

*When any of the following Items are cited above they shall be corrected within ten days of this inspection: (7), (8), (9), (10), (11), (12), (14), (15), (19), (20), (21), (24), (25), (27), (32), (33), (34), (35), and (37).

RECEIVED BY (Name and Title)

Eugene Jean 4/6/2-18

1.PAYMUNDO, EPHOI